


VME64X 4U


FEATURES

- EMC integrated system in 19" rack mount
- Card depth 160mm for 6U cards
- Ventilation front, via card cage to rear
- Integrated LED for output voltages
- 7 slot backplane
- Power supply 450W
- On / off-switch on the front
- Two front handles
- One fan in a pluggable 4U cassette (front side)
- VME 64x 7U with PO,
7 slot 160mm I/O sockets



Dimension: Height: 4 U
 Width: 84 HP
 Depth: 371 mm

ORDERCODE-INSERT APPROPRIATE DIGIT



AVAILABLE SLOTS

VMEbus 64x Backplane 7U with PO assembled

32210-207-0060

No. of slot

7


MECHANICAL DESIGN

SPECIFICATIONS


FRONT VIEW



SIDE VIEW (AIR FLOW)



REAR VIEW



FAN

- Mode permanent
- Dimension 138 x 35mm
- Nominal voltage 12 V
- Input power 4,5 W
- Air flow, free air 110,00 m³/h
- Noise 57 dB

POWER SUPPLY 450W

- Output power 450 W
- Output Voltages 3,3V/25A; 5V/35A; 12V/6A; -12V/3A
- Input voltage 100-240 VAC
- Frequency 50 - 60 Hz
- RFI, EMI EN55022 Class B (conducted)
- Approvals UL, CSA, EN, CE EN61000-3-2 (PFC)


SCOPE OF SUPPLY

High quality 19" rackmount chassis platform consisting of chromated aluminium enclosures, high performance VME 64x backplane, power supply, cooling system and AC/DC power components. Assembled, wired and tested prior to shipment.

Please note: custom configurations possible.

VME 64 x system 4U 84HP 7 slot 450W
 Order No. 484-07450Xx

Front view



484 - 07 450 X

- 2 80mm (J1/J2)
- 3 100mm (J1/J2)
- 4 120mm (J1/J2)
- 5 140mm (J1/J2)
- 6 160mm (J1/J2) - Standard for VME

Dimension:
 Height: 4 U
 Width: 84 HP
 Depth: 371 mm