


FEATURES

- EMC integrated system in 19" rack mount
- Card depth 160mm for 6U cards
- Ventilation vertical
- Integrated LED for output voltages
- 2 - 8 slot backplane 3U or 6U R3.0, system slot right
- Power supplies ATX 300W or pluggable 350W
- On / off-switch on the front
- Two front handles
- Two or three fans in a pluggable 1U cassette (front side)
- Drive cassettes for 2 x 3 1/2" and 1 x 5 1/4" modules
- CompactPCI 6U with 80mm I/O socket (option 2)
- CompactPCI 3U without I/O socket (option 0)



Dimension: Height: 7 U
 Width: 84 HP
 Depth: 292 mm

ORDERCODE-INSERT APPROPRIATE DIGIT



* Please check the availability of preferred parts on our homepage

AVAILABLE SLOTS

CPCI R3.0 Backplane 6U, System Slot right, 64 bit, 33 MHz		80962-00X-6X00					
No. of slot	2	3	4	5	6	7	8


CPCI R3.0 Backplane 3U, System Slot right, 64 bit, 33 MHz		80942-00X-6X00					
No. of slot	2	3	4	5	6	7	8

Subject to technical change.


MECHANICAL DESIGN

SPECIFICATIONS


FRONT VIEW



SIDE VIEW (AIR FLOW)



REAR VIEW



FAN

- Mode	permanent
- Dimension	119 x 119 x 32mm
- Nominal voltage	12 V
- Input power	5,76 W
- Air flow, free air	169,8 m ³ /h
- Noise	44 dB

POWER SUPPLY 300W (ATX)

- Output power	300 W
- Output Voltages	3,3V/28A; 5V/30A; 12V/15A; -12V/0,8A
- Input voltage	100-240 VAC
- Frequency	50 - 60 Hz
- RFI, EMI	EN55022 Class B
- Approvals	UL, CSA, VDE, TÜV, CE

POWER SUPPLY 350W (6U 8HE PLUGGABLE)

- Output power	350 W
- Output Voltages	3,3V/45A; 5V/30A; 12V/12A; -12V/2A
- Input voltage	100-240 VAC
- Frequency	50 - 60 Hz
- RFI, EMI	VDE/CISPR22 Class B
- Approvals	UL, cUL, TÜV, CE


SCOPE OF SUPPLY

High quality 19" rackmount chassis platform consisting of chromated aluminium enclosures, high performance cPCI backplane, power supply, cooling system and AC/DC power components. Assembled, wired and tested prior to shipment.

Please note: custom configurations possible.

cPCI system 7U 84HP 8 slot 300W
Order No. 784-08300C2


Front view



Dimension:
Height: 7 U
Width: 84 HP
Depth: 292 mm

cPCI system 7U 84HP 8 slot 350W
Order No. 784-08350C2

Front view



Dimension:
Height: 7 U
Width: 84 HP
Depth: 292 mm